Preliminary Drainage Analysis for 318 STATE STREET at APN 037-254-020 and 037-254-007

City of Santa Barbara, California

November 2005

SUBMITTAL TO:

City of Santa Barbara

CLIENT:

Cearnal Andrulaitis

PREPARED BY:

Penfield & Smith

101 East Victoria Street

Santa Barbara, California 93101

(805) 963-9532

WORK ORDER NO .:

16775.01

DESIGN ENGINEER:

Carrie Collins

PROJECT ENGINEER:

Stephen C. Wang, R.C.E. 44255

RECEIVED

NOV 18 2005

CITY OF SANTA BARBARA
PLANNING DIVISION

PURPOSE OF REPORT

The purpose of this report is to describe the existing and proposed site drainage conditions and estimate the amount of drainage runoff being transmitted through the project site for a 25-year storm event.

LOCATION

The project location is an approximately 1.43 acre site located at 318 State Street between Gutierrez Street and U.S. Highway 101. The property is on APN 037-254-020 and 037-254-007. A small portion of the westerly project site is within the flood plain per FEMA Flood Insurance Rate Map Community-Panel Number 0603350005D. (See attached.)

EXISTING CONDITION

The site has existing buildings and is considered a commercial site. A portion of the storm runoff sheet flows from the west toward the east across a potion of the site to Anacapa Street. The other portion of storm runoff flows to the westerly catch basin which connects to an 8" storm drain pipe. (See pre-development drainage area map).

PROPOSED CONDITION

The project development consists of offices, retail units, condominiums and an underground parking garage. Roof drains from each building are connected to the site storm drain pipe. Catch basins are proposed for the site storm drain system which drains the water towards the east and west. The easterly drainage area flows to Anacapa Street. The westerly area flows to the existing 8" storm drain pipe.

The drainage from the central portion of the development will flow to the center of the driveway and flow into a storm drain pipe as well as along the central driveway and sheet flow to Anacapa Street. The storm drain pipe connects to the sidewalk drain out to the gutter on Anacapa Street and continues to match the existing condition. Drainage from the landscape areas will also flow into the storm drain system.

Drainage from the westerly portion of the buildings and landscape area will flow to the existing storm drain pipe, matching the existing condition. (See post-development drainage area map.)

The project site finish floor elevations are all more than two feet above the FEMA 100-year flood elevation.

METHOD OF ANALYSIS

The drainage peak runoffs for the 25-year storm event were calculated for the sites' predevelopment and post-development conditions. The drainage analysis was prepared according to the current Santa Barbara County Flood Control design Standards. The hydrology calculations utilized the Santa Barbara County Flood Control and Water Conservation District Rational XL program.

RESULTS

Pre-Development Conditions (See attached Pre-development drainage map and Pre-development hydrology calculations):

Area 1 (flow toward the west):

25-year runoff: A= 0.350 ac., Q = 0.85 cfs

Area 2 (flow toward Anacapa Street):

25-year runoff: A=1.08 ac., Q = 2.61 cfs

Total Pre-development 25-year runoff: Q= 3.46 cfs

Post-Development Conditions (See attached Post-development drainage map and Post-development hydrology calculations):

Area 1 (flow toward the west):

25-year runoff: A= 0.35 ac., Q = 0.85 cfs

Area 2 (flow toward Anacapa Street):

25-year runoff: A= 1.08 ac., Q = 2.61 cfs

Total Post-development 25-year runoff: Q= 3.46 cfs

CONCLUSIONS

The total Post-Development 25-year runoff for 318 State Street site will be 3.46 cfs, which is the same as the Pre-Development 25-year runoff. Therefore, the runoff is not increased for the project development.

NATIONAL FLOOD INSURANCE PROGRAM

FIRM

FLOOD INSURANCE RATE MAP

CITY OF
SANTA BARBARA,
CALIFORNIA
SANTA BARBARA COUNTY

* See Letter of majo Revision in State bit


PANEL 5 OF 11 (SEE MAP INDEX FOR PANELS NOT PRINTED)

REVISED TO REFLECT LONG DATED AN 15 2004


COMMUNITY-PANEL NUMBER
0603350005D
MAP REVISED:
DECEMBER 3, 1991



Federal Emergency Management Agency



ATTACHMENTS PRE-DEVELOPMENT ANALYSIS



Santa Barbara County Flood Control and Water Conservation District

Program Rational - XL User Data: Project Name: Project Number: 318 State Street 16775.01 Date of Run: 11/11/2005 Run By: CEC Notes: 25-YEAR STORM FOR PRE-DEVELOPMENT- AREA 1 Input Data: Land Use Type: | Commercial South Coast Location: 0.35 12 Area (Acres): Time of Concentration (Min.): Q10: Q25: Q50: Q100: Calculated Runnoff Coefficient: 0.73 0.76 0.79 0.80 **User Selected Runoff** Calculate Coefficient (Optional): For Large Lot Subdivisions (>10,000 sq. ft.): Low Value: High Value: User Selected: Q10: Q25: **Enter Selection** Q50: Q100: Results: Rainfall Intensity: Runoff Coef: Q (cfs): Q10: 2.61 20.07 0.73 View RI Curves Print Q25: 3.18 0.76 20.85 Q50:

11.02

21.13

View RC Curves

Exit

3.68

4.03

Q100:

0.79


0.80

Santa Barbara County Flood Control and Water Conservation District

				ygram Kati				
User Dat	a:							
Project Nam	t Name: 318 State S		Street	Project Number:		ject Number:	16775.01	
Date of Run: 11/11/200		11/11/200	5		Run By:		CEC	
Notes:	:	25-YEAR S	TORM FOR PRE-	PRE-DEVELOPMENT- AREA 2				
Input Da	ta:			<u></u>				
Location: South Co		past Land Use Type		nd Use Type:	Commercial			
Area (Acres): 1.08		Andrews	Time of Concentration (Mi		ation (Min.);	12		
			Q10:	Q25:	Q50:	Q100:		
Calculated Runnoff Coefficient:		erricient:	0.73	0.76	0.79	0.80		
User Selected Runoff Coefficient (Optional):			Γ		1	Calculate		
							Date of the Control o	
	n skjetnigerike	enga awas dag	ions (>10,00					
Q10: [Low Value:		High Value:	User Sel	ected:			
	. In a constitution of the			22 Janes 194	de la company			
Q25:					100 - 100 -			
Q50:			Transition of	sentimate	Enter Selection			
	AND STREET, ST	1500	y-consideration of the contract of the contrac		-			
O100 I		and the street for the section	計算 39-1		1. 1010 1400 1500 1500 1500 1500			
Q100: [120012 (A100122 2			1				
Results:			3000 20 20 20 20 20 20 20 20 20 20 20 20	Mark Control				
Results:	Rainfall In		Runoff Coef:	Q (ds):				
Results:			Runoff Coef:	Q (cfs): 22.	0 4			
Results:	Rainfall In 2.61 3.18	tensity:	0.73		والأوادي وأنباه كششك	View RI Curves	Print	
Results:	Rainfall In 2.61 3.18 3.68	tensity:	0.73	72.	. <u>@l</u>	View RI Curves	Print	

Drainage Analysis for	318	State	Street
-----------------------	-----	-------	--------

POST-DEVELOPMENT ANALYSIS



Santa Barbara County Flood Control and Water Conservation District

Program Rational - XL User Data: Project Name: Project Number: 318 State Street 16775.01 Date of Run: 11/11/2005 Run By: CEC Notes: 25-YEAR STORM FOR POST- DEVELOPMENT- AREA 1 Input Data: Land Use Type: Commercial South Coast Location: 0.35 12 Area (Acres): Time of Concentration (Min.): Q10: Q25: Q50: Q100: Calculated Runnoff Coefficient: 0.73 0.76 0.79 0.80 **User Selected Runoff** Calculate Coefficient (Optional): For Large Lot Subdivisions (>10,000 sq. ft.): Low Value: High Value: User Selected: Q10: Q25: Enter Selection Q50: Q100: Results: Rainfall Intensity: Runoff Coef: Q (cfs): Q10: 2.61 0.73 x0.67 View RI Curves Print Q25: 3.18 0.76 Q50: 3.68 0.79 21.02 View RC Curves Exit Q100: 4.03 0.80 21.13

Santa Barbara County Flood Control and Water Conservation District Program Rational - XL

		and the second of the second o	化化化物 化化物物 医电影 医克雷斯 医多种的 医多种性	eri, all all an exercise and the second and the second		representation of the property of the contraction o
User Data:						
Project Name:	318 State Street			16775,01		
Date of Run:	11/11/200)5	Run By:			CEC
Notes:	25-YEAR S	STORM FOR POS	T- DEVELOPMEN			
Input Data:						
Location: South Co		past	▼ Lan	d Use Type:	Commercial	
Area (Acres):	,			Time of Concentration (Min.):		12
		Q10:	Q25:	e or concentra Q50:	Q100:	
Calculated Runnoff Coefficient:		0.73	0.76	0.79	0.80	
User Selected Runc Coefficient (Option			Ī	Ţ	1	Calculate
For Large Lo	t Subdivis	ions (>10,00	00 sq. ft.):			
Low V	/alue:	High Value: User		ected:		
Q10:		100 May 100 Ma		WEEK C		
Q25:					Enter Selection	
Q50:					Litter Jelecton	
Q100:			T T			
Results:			gar georgeas			
	all Intensity:	Runoff Coef:	Q (cfs):			
Q10: 2.6	1	0.73	×2.	06		
		- p			View RI Curves	Print
Q25: 3.1	8	0.76	2.2.	(e) _		
Q25: 3.1 Q50: 3.6		0.76	3 -2. 3 3.	14	View RC Curves	